Pipeline Group Factual Report

ATTACHMENT 3

PHMSA Accident Report HL20070334



U.S. Department of Transportaion Research and Special Programs Administration

ACCIDENT REPORT - HAZARDOUS LIQUID PIPELINE SYSTEMS

Report Date NOV 30,2007

No. <u>20070334 -- 6525</u> (DOT Use Only)

INSTRUCTIONS						
Important: Please read the separate instructions for completing this form before you begin. They clarify the information						
requested and provide specific examples. If you do not have a copy of the instructions you can obtain one from						
the Office Of Pipeline Safety Web Page at http	://ops.dot.gov					
PART A - GENERAL REPORT INFORMATION check: ×	Original Report 🔲 S	Supplemental Report Final Report				
a. Operator's OPS 5-digit Identification Number (if know) J. Description b. If Operator does not own the pipeline, enter Owner's OPS 5-digit I	3445 /					
c. Name of Operator DIXIE PIPELINE		<u></u>				
d. Operator street address 1080 HOLCOMB BRIDGE ROAD, BLDO	G 100, STE 325					
e. Operator address ROSWELL FULTON GA 30076						
City, County, State and ZIP Code	4T 540T 5 0 4 0 1 0 1	T 10 1 500 TUAN 5 DADDE! 0 00 MD! 5 T5 TUB				
IMPORTANT: IF THE SPILL IS SMALL, THAT IS, THE AMOUNT IS PAGE ONLY, UNLESS THE SPILL IS TO WATER AS DESCRIBED						
AS REVISED IN CY 2001.	114 43 OT IX 2133.32(A)(4) OT	NO OTHERWISE REPORTABLE ORDER 2133.30				
2. Time and date of the accident						
/ 1054 / / 11 / / 01 / /2007 /	5. Losses (Estimated)					
hr. month day year	_	ses reimbursed by operator:				
3. Location of accident	Public/private property	damage \$ <u>1,000,000</u>				
(If offshore, do not complete a through d See Part C.1)	Cost of emergency res	ponse phase \$				
a Latituda, N24 EE 22 Langituda, M09 24 E2	Cost of environmental i	remediation \$0				
a. Latitude: <u>N31 55.23</u> Longitude: <u>W88 31.53</u> (If not available, see instructions for how to provide specific location)	Other Costs	\$ <u>0</u>				
b. CRANDALL CLARKE	(describe)					
City and County or Parish	0					
c. MS 39367	Operator Losses:					
State and Zip Code 425.98	Value of product lost \$693,000 Value of operator property damage \$436,976					
d. Mile post/valve station ● or Survey Station no. ○						
(whichever gives more accurate location)	Other Costs \$0					
425.98	(describe)					
4. Telephone report	Total Costs:	\$ <u>2,138,186</u>				
J 853298 J I 11 J 01 J 2007 J NRC Report Number month day year						
6. Commodity Spilled ■ Yes O No (If Yes, complete Parts a through c where applicable)		c. Estimated amount of commodity involved :				
a. Name of commodity spilled PROPANE		Barrels				
b. Classification of commodity spilled:		O Gallons (check only if spill is less than one barrel)				
■ HVLs/other flammable or toxic fluid which is a gas at ambient of CO₂ or other non-flammable, non-toxic fluid which is a gas at am		,				
Gasoline, diesel, fuel oil or other petroleum product which is a liq	uid at ambient conditions	Amounts : Spilled : 11,000				
O Crude oil						
		Recovered:				
CAUSES FOR SMALL SPILLS ONLY (5 gallons to under 5 barr	<u>els)</u> : (For large spills	[5 barrels or greater] see Part H)				
O Corrosion O Natural Forces O Excavation Damage	Other Ous	ide Force Damage				
O Materal and/or Weld Failures O Equipment	O Incorrect (Operation O Other				
PART B - PREPARER AND AUTHORIZED SIGNATURE						
JOEL E. KOHLER		(713) 381-4830				
(type or print) Preparer's Name and Title		Area Code and Telephone Number				
JKOHLER@EPROD.COM		(713) 381-8790				
Preparer's E-mail Address (715) 381-8790 Area Code and Facsimile Number						
Authorized Signature (type or print) Name a	and Title Date	Area Cod and Telephone Number				

PART C - ORIGIN OF THE ACCIDENT (Check all that apply)	
Additional location information	Offshore: O Yes • No (comple d if offshore)
a. Line segment name or ID12" DIXIE PIPELINE b. Accident on Federal land other than Outer Continental	d. Area Block #
Shelf O Yes ● No	State_// or Outer Continental Shelf
c. Is pipeline interstate? ■ Yes O No	
2. Location of system involved (check all that apply)	a. Type of leak or rupture
Operator's Property	O Leak: O Pinhole O Connection Failure (complete sec. H5)
▼ Pipeline Right of Way High Consequence Area (HCA)?	O Puncture, diameter (inches)
Describe HCA	Rupture: O Circumf erential - Separation Longitudinal - Tear/Crack, length (inches) 636
3. Part of system involved in accident	Propagation Length, total, both sides (feet) 53
O Above Ground Storage Tank	·
O Cav ern or other below ground storage facility O Pump/meter station; terminal/tank farm piping and	O Other
equipment, including sumps	b. Type of block valve used for isolation of immediate section:
O Other Specify:	Upstream:
	Check Valve
 Onshore pipeline, including valve sites Offshore pipeline, including platforms 	Downstream:
if failure occurred on pipeline , complete items a - g:	c. Length of segment isolated63,360 ft
	d. Distance between valves63,360 ft
4. Failure occurred on	e. Is segment configured for internal inspection tools? ● Yes O No
O Body of Pipe Pipe Seam O Scraper Trap O Pump O Sump O Joint	f. Had there been an in-line inspection device run at the point of
O Component O Valve O Metering Facility	failure? • Yes O No O Don't Know
O Repair Sleeve O Welded Fitting O Bolted Fitting O Girth Weld	O Not Possible due to physical constraints in the system
O Other (specify)	g. If Yes, type of device run (check all that apply) * High Resolution Magnetic Flux tool Year run:
	Low Resolution Magnetic Flux tool Year run:
Year the component that failed was installed: / 1961 /	■ UT tool Year r 2005
Maximum operating pressure (MOP)a. Estimated pressure at point and time of accident:	▼ Geometry tool Year run: 2006
1,405 PSIG	Caliper tool Year run:
b. MOP at time of accident: 1,448 PSIG	Crack tool Year ru
c. Did an overpressurization occur relating to the accident?	Hard Spot tool Year ru
O Yes ● No	Other tool Year ru
PART D - MATERIAL SPECIFICATION	PART E - ENVIRONMENT
1. Nominal pipe size (NPS) <u>/ 12 </u> / in.	1. Area of accident O In open ditch
2. Wall thickness/ in.	O Under pavement O Above ground
3. Specification API 5L SMYS / 52000 /	■ Underground O Under water
4. Seam type ERW	O Inside/under building O Other
5. valve type in year / 1961 /	
	2. Depth of cover:41 inches
PART F - CONSEQUENCES 1. Consequences (check and complete all that apply)	
a. Fatalities Injuries	c. Product ignited ■ Yes O No d. Explosion ■ Yes O No
Number of operator employees: 0 0	e. Evacuation (general public only) 1 250 / people
Contractor employees working for operator:0	Reason for Evacuation:
General public: 2 8	O Precautionary by company
Totals: 2 8	 Evacuation required or initiated by public official
b. Was pipeline/segment shutdown due to leak? ■ Yes O No	f. Elapsed time until area was made safe:
If Yes, how long? <u>10</u> days <u>19</u> hours <u>0</u> minutes	/ <u>48</u> / hr. <u>/</u> / min.
2. Environmental Impact a. Wildlif e Impact: Bird Yes No Yes No	e. Water Contamination: O Yes No (If Yes, provide the following) Amount in water barrels
Terrestrial O Yes ● No b. Soil Contamination O Yes ● No	Ocean/Seawater O No O Yes Surface O No O Yes
If Yes, estimated number of cubic yards:	Groundwater O No O Yes
c. Long term impact assessment performed: ● Yes ○ No	
d. Anticipated remediation ■ Yes ○ No If Yes Check all that apply: □ Surface water □ Groundwater ■	Drinking water O No O Yes (If Yes, check below.) O Private well O Public water intake

PART G - LEAK DETECTION INFORMATION
1. Computer based leak detection capability in place? ✓ Yes No
2. Was the release intially detected by? (check one): O CPMSCADA-based system with leak detection
O Static shut-in test or other pressure or leak test
O Local operating personnel, procedures or equipment
Remote operating personnel, including controllers
O Air patrol or ground surveillance
O A third party O Other (specify)
3. Estimated leak duration days hours
PART H - APPARENT CAUSE Important: There are 25 numbered causes in this Part H. Check the box corresponding to the primary cause of the accident. Check one circle in each of the supplemental categories corresponding to the cause you indicate. Secc the instructions for guidance.
H1 - CORROSION a. Pipe Coating b. Visual Examination c. Cause of Corrosion
1. O External Corrosion O Coated O Coat
2. O Internal Corrosion Cracking
Complete items a - e
where applicable.)
d. Was corroded part of pipeline considered to be under cathodic protection prior to discovering accident? O No O Yes, Year Protection Started: I
e. Was pipe previously damaged in the area of corrosion? O No O Yes => Estimated time prior to accident: // years/_/ months Unknown
H2 - NATURAL FORCES
3. O Earth Mov ement => O Earthquake O Subsidence O Landslide O Other
4. O Lightning
5. O Heavy Rains/Floods => O Washouts O Flotation O Mudslide O Scouring O Other
6. O Temperature => O Thermal stress O Frost heave O Frozen components O Other
7. O High Winds
H3 - EXCAVATION DAMAGE
8. O Operator Excavation Damage (including their contractors/Not Third Party)
9. O Third Party (complete a-f)
a. Excavator group O General Public O Government O Excavator other than Operator/subcontractor
b. Type: O Road Work O Pipeline O Water O Electric O Sewer O Phone/Cable O Landowner-not farming related O Farming O Raildroad
O Other liquid or gas transmission pipeline-operator or their contractor
O Nautical Operations O Other
c. Excavation was: O Open Trench O Sub-strata (boring, directional drilling, etc)
d. Excavation was an ongoing activity (Month or longer) O Yes O No If Yes, Date of last contact I I
e. Did operator get prior notification of excavation activity?
O Yes; Date received: _II mo. II day _II yr. O No
Notification received from: O One Call System O Excavator O Contractor O Landowner
f. Was pipeline marked as result of location request for excavation? O No O Yes (If Yes, check applicable items i - iv) i. Temporary markings: O Flags O Stakes O Paint ii. Permanent markings: O Yes O No iii. Marks were (check one): O Accurate O Not Accurate iv. Were marks made within required time? O Yes O No
H4 - OTHER OUTSIDE FORCE DAMAGE
10. O Fire/Explosion as primary cause of failure => Fire/Explosion cause: O Man Made O Natural
11. O Car, truck or other vehicle not relating to excavation activity damaging pipe
12. O Rupture of Previously Damaged Pipe
13. O Vandalism

H5 - MATERIAL AND	OK WELD FAII	-0.1.											
Material													
14. O Body of Pipe	=>O Dent	O Gouge	O Bend	O Arc Burn	O Other	_							
15. O Component	=>O Valve	O Fitting	O Vessel	O Extruded Outlet	O Other	_							
16. O Joint	= Ø Gasket	O O-Ring	O Threads		O Other	_							
Weld													
17. O Butt	= ₽ Pipe	O Fabricati	on		O Other	_							
18. O Fillet	=○ Branch	О Нот Тар	O Fitting	O Repair Sleeve	O Other	_							
19. O Pipe Seam	=>O LF ERW		O Seamless	OFlash Weld									
	O HF ERW	O SAW	O Spiral		O Other	_							
Complete a-g if yo a. Type of failure:	u indicate any o	cause in pa	rt H5.	dure not followed	O Poor Construction Procedures	••••							
		ustained in tran	sportation to the c	construction or fabricat	ion site? O Yes O No								
				O Yes, complete of									
d. Date of test:			/ mo/		3								
e. Test medium:		-		•									
f. Time held at tes	t pressure: /	/ hr.											
g. Estimated test p	oressure at point o	f accident:		PSIG									
H6 - EQUIPMENT						_							
20. O Malf unction of	Control/Relief Equ	uipment =>			O SCADA O Communications O Power failure								
			O Other										
21. O Threads Strippe	ed Broken Pipe Co	oupling =>			O Dresser Couplings								
22. O Seal Failure		=		-	O Seal/Pump Packing								
H7 - INCORRECT O	PERATION					_							
		•	ate Safety Practice	es O Failure to Foll									
O Other						O Otherb. Number of employees involved who failed a post-accident test: drug test: <u>//</u> alcohol test <u>//</u>							
b. Number of employ e	es involved who f	ailed a post-ac	cident test: drug t	test: <u>/</u>	alcohol test <u>I</u>								
b. Number of employ of H8 - OTHER 24. O Miscellaneous, 25. Unknown	describe:	ailed a post-ad	cident test: drug t	test: <u>J</u>	alcohol test <u>I</u>	-							
b. Number of employ e H8 - OTHER 24. O Miscellaneous, 25. Unknown O Investigat	describe:	ailed a post-ac	cident test: drug t	nit a supplemental rep	alcohol test <u>I</u>	-							
b. Number of employ of H8 - OTHER 24. O Miscellaneous, 25. Unknown	describe: tion Complete	ailed a post-ac Still Under II	nv estigation (Subra	nit a supplemental rep	alcohol test <u>I</u> nort when investigation is complete) (Attach additional sheets as necessary)	_							
b. Number of employ of H8 - OTHER 24. O Miscellaneous, 25. Unknown O Investigat	describe: tion Complete E DESCRIPTION V-UP CALL WAS I	Still Under In N OF FACTO	nv estigation (Subra	nit a supplemental rep	alcohol test <u>I</u> nort when investigation is complete) (Attach additional sheets as necessary)	-							
b. Number of employed H8 - OTHER 24. O Miscellaneous, 25. Unknown O Investigat PART I - NARRATIVE ADDITIONAL FOLLOW	describe: tion Complete E DESCRIPTION V-UP CALL WAS I	Still Under In N OF FACTO	nv estigation (Subra	nit a supplemental rep	alcohol test <u>I</u> nort when investigation is complete) (Attach additional sheets as necessary)	-							
b. Number of employ of H8 - OTHER 24. ○ Miscellaneous, 25. ● Unknown ○ Investigat PART I - NARRATIVE ADDITIONAL FOLLOW	describe: tion Complete E DESCRIPTION V-UP CALL WAS I	Still Under In N OF FACTO	nv estigation (Subra	nit a supplemental rep	alcohol test <u>I</u> nort when investigation is complete) (Attach additional sheets as necessary)	-							

NOTICE: This report is required by 49 CFR Part 195. Failure to report can result in a civil penalty not to exceed \$25,000 for each violation for each day that such violation persists except that the maximum civil penalty shall not exceed \$500,000 as provided in 49 USC 60122 OMB No. 2137-0047

U.S. Department of Transportation Research and Special Programs Administration

ACCIDENT REPORT – HAZARDOUS LIQUID PIPELINE SYSTEMS

Report Date	
No	
(DOT Use Only)	

INSTRUCTIONS

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the Office Of Pipeline Safety Web Page at http://ops.dot.gov.

you can obtain one from the Office Of Pipe	line Safety Web Page at http://ops.dot.gov .
PART A – GENERAL REPORT INFORMATION Check one or mo Original R	re boxes as appropriate: eport Supplemental Report Final Report
a. Operator's OPS 5-digit Identification Number (if known) / b. If Operator does not own the pipeline, enter Owner's OPS 5-dig c. Name of Operator d. Operator street address e. Operator address	t Identification Number (if known) / /
COMPLETE THIS PAGE ONLY, UNLESS THE SPILL IS TO WATER REPORTABLE UNDER §195.50 AS REVISED IN CY 2001.	
2. Time and date of the accident	5. Losses (Estimated) Public/Community Losses reimbursed by operator: Public/private property damage \$
6. Commodity Spilled (If Yes, complete Parts a through c where applicable) a. Name of commodity spilled b. Classification of commodity spilled: HVLs /other flammable or toxic fluid which is a gas at ambient c CO ₂ or other non-flammable, non-toxic fluid which is a gas at am Gasoline, diesel, fuel oil or other petroleum product which is a lic Crude oil	bient conditions Amounts:
CAUSES FOR SMALL SPILLS ONLY (5 gallons to under 5 barrels	(For large spills [5 barrels or greater] see Part H)
Corrosion Natural Forces Excavation Damag	e Other Outside Force Damage
Material and/or Weld Failures Equipment	Incorrect Operation Other
PART B – PREPARER AND AUTHORIZED SIGNATURE	
(type or print) Preparer's Name and Title	Area Code and Telephone Number
Preparer's E-mail Address	Area Code and Facsimile Number
Authorized Signature (type or print) Name a	nd Title Date Area Code and Telephone Number

PART C – ORIGIN OF THE ACCIDENT (Check all that apply)	
Additional location information	Offshore: Yes No (complete d if offshore)
a. Line segment name or ID b. Accident on Federal land other than Outer Continental	d. Area Block #
Shelf Yes No	State // or Outer Continental Shelf
c. Is pipeline interstate? Yes No	
2. Location of system involved (check all that apply)	a. Type of leak or rupture
Operator's Property Pipeline Right of Way	Leak: Pinhole Connection Failure (complete sec. H5)
High Consequence Area (HCA)?	Puncture, diameter (inches)
Describe HCA	Rupture: Circumferential – Separation Longitudinal – Tear/Crack, length (inches)
Part of system involved in accident Above Ground Storage Tank	Propagation Length, total, both sides (feet)
Cavern or other below ground storage facility	N/A
Pump/meter station; terminal/tank farm piping and equipment, including sumps	Other b.Type of block valve used for isolation of immediate section:
Other Specify:	Upstream: Manual Automatic Remote Control
Onshore pipeline , including valve sites	Check Valve Downstream: Manual Automatic Remote Control
Offshore pipeline , including platforms	Downstream: Manual Automatic Remote Control Check Valve
If failure occurred on Pipeline , complete items a - g:	c. Length of segment isolatedft
4. Failure occurred on	d. Distance between valvesft e. Is segment configured for internal inspection tools? Yes No
Body of Pipe Pipe Seam Scraper Trap	f. Had there been an in-line inspection device run at the point of
Pump Sump Joint Component Valve Metering Facility	failure? Yes No Don't Know
Repair Sleeve Welded Fitting Bolted Fitting	Not Possible due to physical constraints in the system g. If Yes, type of device run (check all that apply)
Girth Weld Other (specify)	High Resolution Magnetic Flux tool Year run:
Year the component that failed was installed: /	Low Resolution Magnetic Flux tool Year run:
5. Maximum operating pressure (MOP)	UT tool Year run:
 a. Estimated pressure at point and time of accident: 	Geometry tool Year run: Caliper tool Year run:
PSIG b. MOP at time of accident:	Crack tool Year run:
PSIG	Hard Spot tool Year run:
c. Did an overpressurization occur relating to the accident? Yes No	Other tool Year run:
PART D – MATERIAL SPECIFICATION	PART E – ENVIRONMENT
1. Nominal pipe size (NPS)	1. Area of accident In open ditch
2. Wall thickness	Under pavement Above ground
3. Specification SMYS	_/ Underground Under water
4. Seam type	Inside/under building Other
5. Valve type	
6. Manufactured byin year /	2. Depth of cover: inches
PART F - CONSEQUENCES	2. Depth of cover: inches
Consequences (check and complete all that apply)	
a. Fatalities Injuries	c. Product ignited Yes No d. Explosion Yes No
Number of operator employees:	e. Evacuation (general public only) / / people
Contractor employees working for operator:	Reason for Evacuation:
General public:	Precautionary by company
Totals:	Evacuation required or initiated by public official
b. Was pipeline/segment shutdown due to leak? Yes No	f. Elapsed time until area was made safe: / / hr. / / min.
If Yes, how long? days hours minutes	<u>/ /</u> hr. <u>/ /</u> min.
2. Environmental Impact	
a. Wildlife Impact: Fish/aquatic Yes No Birds Yes No	e. Water Contamination: Yes No (If Yes, provide the following) Amount in water barrels
Terrestrial Yes No	Ocean/Seawater No Yes
b. Soil Contamination Yes No	Ocean/Seawater No res
	Surface No Yes
If Yes, estimated number of cubic yards: No c. Long term impact assessment performed: Yes No	Surface No Yes Groundwater No Yes
• • • • • • • • • • • • • • • • • • • •	Surface No Yes Groundwater No Yes Drinking water No Yes (If Yes, check below.) Private well Public water intake

PART G - LEAK DETECTIO	NINFORMATION				
Computer based leak dete	ction capability in place?	Yes No			
2. Was the release initially detected by? (check one):		CPM/SCADA-based system with leak detection			
		Static shut-in tes	st or other pressu	ure or leak test	
		Local operating	personnel, proce	edures or equipment	
		Remote operatir	ng personnel, inc	luding controllers	
		Air patrol or grou	und surveillance		
		A third party		Other (specify)	
3. Estimated leak duration	davs hours	, ,		· · · · · · · · · · · · · · · · · · ·	
		ara ara 25 numbarad (causes in this Da	rt H. Check the box corresponding to the	
PART H – APPARENT CAUS	SE primary cause o		one circle in eac	ch of the supplemental categories	
H1 - CORROSION	i - 1 3	b. Visual Examination		c. Cause of Corrosion	
External Corrosion	Bare Coated	Localized Pittir General Corros	•	Galvanic Atmospheric Stray Current Microbiological	
		Other		Cathodic Protection Disrupted	
Internal Corrosion				Stress Corrosion Cracking Selective Seam Corrosion	
(Complete items a – e				Other	
where applicable.)	d. Was corroded part of p	pipeline considered to	be under cathod	ic protection prior to discovering accident?	
	No Yes, Year	Protection Started: /_			
	e. Was pipe previously da			/ years / / months Unknown	
H2 – NATURAL FORCES	No Yes => Est	imated time prior to ac	cident. /		
3. Earth Movement	=> Earthquake	Subsidence	Landslide	Øther	
4. Lightning					
5. Heavy Rains/Floods	s => Washouts	Flotation	Mudslide	Scouring Other	
6. Temperature	=> Thermal stress	Frost heave	Frozen compone	ents Other	
7. High Winds			$> (\Omega)$		
				<u> </u>	
H3 — EXCAVATION DAMA	GE		\setminus \setminus \setminus		
8. Operator Excavatio	n Damage (including their co	ontractors/Not Third Pa	arty)		
9. Third Party (comple a. Excavator grou		$\mathcal{N}(\mathcal{Q})$			
	neral Public Governm	nent Excavator	other than Opera	ator/subcontractor	
b. Type: Roa	ad Work Pipeline	Water Electric	Sewer	Phone/Cable	
Lan	downer-not farming related	Farming	Railroad		
Lai	downer-not faithing related	, , , , , airiling	Railload		
Oth	er liquid or gas transmission	pipeline operator or t	heir contractor		
Nau	utical Operations C	Other			
c. Excavation was		b-strata (boring, direc	tional drilling, etc	·)	
d. Excavation was	an ongoing activity (Month	or longer) Yes	No If Ye	es, Date of last contact //	
e. Did operator ge	et prior notification of excava	tion activity?			
Yes; Date	received: / mo.	<u>/ /</u> day <u>/</u>	/ yr.	No	
Notification red	ceived from: One Call	System Excava	ator Contra	actor Landowner	
f. Was pipeline m İ. Temporar İİ. Permaner			No Yaint	Yes (If Yes, check applicable items i - iv)	
iii. Marks we i v . Were mar	re (check one): Accurates				
H4 – OTHER OUTSIDE FO	RCE DAMAGE rimary cause of failure =>	Fire/Explosion cause	e: Man mad	e Natural	
·	vehicle not relating to excava	•		-	
12. Rupture of Previous		and a carry admagnit	יאיא כ		
13. Vandalism	,				
.o. vanuanom					

	ERIAL AND/OR	WELD F	AILURES							
Material 14.	Body of Pipe	=>	Dent	Gouge	Bend	Arc Burn	Other			
15.	Component	=>	Valve	Fitting	Vessel	Extruded Outlet	Other			
16.	Joint	=>	Gasket	O-Ring	Threads		Other			
Weld	Wold									
17.	Butt	=>	Pipe	Fabrication			Other			
18.	Fillet	=>	Branch	Hot Tap	Fitting	Repair Sleeve	Other			
19.	Pipe Seam	=>	LF ERW HF ERW	DSAW SAW	Seamless Spiral	Flash Weld	Other			
Comple	te a-g if you i	indicate i	any cause in p	art H5.						
a.	Type of failure: Constructio Material De		=> Poor Work	manship Pr	rocedure not followed	Poor Construct	ion Procedures			
				in transportation to	the construction or Yes, con	fabrication site? Ye	s No			
d.	Date of test:	1	<u>/</u> yr. <u>/</u>	<u>/</u> mo. <u>/</u>	/ day					
	Test medium:		ater Inert C		$\rightarrow \bigcirc$					
	Time held at te	•	e: / / / t at point of accide			PSIG				
9. H6 – EQUI		i piessuie	at point of accide	· · · · · · · · · · · · · · · · · · ·	F	310				
	function of Cont	rol/Relief E	Equipment =>	Control valve	Instrumentat	tion SCADA	Communications			
				Block valve	Relief valve	Power failure	Other			
21. Thr	eads Stripped, E	Broken Pip	e Coupling =>	Nipples	Valve Threads	Dresser Couplings	Other			
22. Sea	ıl Failure		=>	Gasket	O-Ring	Seal/Pump Packing	Other			
H7 – INCO	RRECT OPERA	ATION								
23. Inco a. Type:	orrect Operation Inadequ Other	uate Proce	dures Inade	quate Safety Pract	ices Failure to	Follow Procedures				
b. Numb	er of employees	involved v	vhô failed a post-a	accident test: drug	g test: /	_/ alcohol test /	/			
H8 – OTHE 24. Mis	ER cellaneous, des	cribe:								
	nown Investigation		Still Under	Investigation (sub	omit a sunnlemental r	eport when investigation	n is complete)			
PART I – N				CONTRIBUTING		(Attach additional shee				